

Product datasheet

Specifications



Go Rack, 42U, Black, With Glass door, Roof, Castors, 4 Brackets, Side Panel, and Bottom, 2100H x 600W x 1000D mm

NR6202-G

! Discontinued - Service only

! Discontinued on: Jun 15, 2026

! End-of-service on: Jun 15, 2026

Main

Product or component type	Rack enclosure
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	2100 mm
Width	600 mm
Depth	1000 mm
Product weight	99 kg
Colour	Black
Mounting mode	Not rack-mountable
Rack width	19"
Marking	20 gauge front door 20 gauge rear door 18 gauge post 14 gauge EIA mounting rail
Permanent permissible load	599.6 kg static

Conformance

Standards	EIA-310E
-----------	----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	225 cm
Package 1 Width	88 cm
Package 1 Length	88 cm
Package 1 Weight	122 kg

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	24 Fan 60 Racks
----------------------	-----------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	900 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	864 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	19 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	17 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Take-back	No

Image of product / Alternate images

Alternative



