

Product datasheet

Specifications



APC SurgeArrest Essential Surge Protector, 5x Universal Outlets, 700 Joules, 5ft/1.5m extension cord, BS1363 Plug

PME5B-MS

Discontinued

Discontinued on: Jan 13, 2025

End-of-service on: Mar 31, 2025

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	220...250 V AC
Main Output Voltage	220...250 V AC
Input Connection Type	BS1363A British
Cable length	1.5 m

Physical

Colour	Black
Height	371.8 mm
Width	62.9 mm
Depth	40 mm
Net weight	0.54 kg
Mounting support	Wall-mount
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency	50/60 Hz +/- 5 Hz
Plug standard	British

Output

Number of power socket outlets	5
Outlet standard deviation	Universal
Outlet standard	Universal

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Operating altitude	0...3000 m
Ambient air temperature for storage	-15...45 °C
Storage altitude	0...15000 m

Surge Protection and Filtering

Surge energy rate	700 J
-------------------	-------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	40.2 cm
Package 1 Width	12 cm
Package 1 Length	5.2 cm
Package 1 Weight	640 g
SCC14	10731304453281



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

Image of product / Alternate images

Alternative



