

# Product datasheet

Specifications



APC Easy UPS On-Line SRV  
Battery Pack (6/10kVA) for  
Extended Runtime Model 240V,  
2160VAh, rackmount with kit, 3U

SRV240RLBP-9A

## Main

|                           |                                                        |
|---------------------------|--------------------------------------------------------|
| Product or component type | External battery pack                                  |
| Number of rack unit       | 3U                                                     |
| Battery type              | Lead-acid battery                                      |
| Provided equipment        | User manual<br>Battery cable<br>Rack mounting brackets |
| Range of product          | Easy UPS On-Line                                       |

## Batteries & Runtime

|                                     |            |
|-------------------------------------|------------|
| Number of battery blocks per string | 20         |
| Device mounting                     | Rack mount |
| Number of battery filled slots      | 0          |
| Number of battery free slots        | 0          |
| Battery voltage                     | 240 V      |

## Physical

|                |                       |
|----------------|-----------------------|
| Colour         | Black                 |
| Height         | 133 mm                |
| Width          | 438 mm                |
| Depth          | 606 mm                |
| Product weight | 63 kg                 |
| Mounting mode  | Rack-mounted with kit |
| USB compatible | No                    |

## Conformance

|                        |                                     |
|------------------------|-------------------------------------|
| Product certifications | CE<br>UKCA<br>EAC<br>EN/IEC 62040-1 |
|------------------------|-------------------------------------|

## Environmental

|                                       |                         |
|---------------------------------------|-------------------------|
| Ambient air temperature for operation | 0...40 °C               |
| Relative humidity                     | 0...95 % non-condensing |
| Operating altitude                    | 0...3000 m              |
| Ambient air temperature for storage   | -15...40 °C             |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                           |                         |
|---------------------------|-------------------------|
| Storage Relative Humidity | 0...95 % non-condensing |
| Storage altitude          | 0...15000 m             |

## Packing Units

|                              |       |
|------------------------------|-------|
| Unit Type of Package 1       | PCE   |
| Number of Units in Package 1 | 1     |
| Package 1 Height             | 25 cm |
| Package 1 Width              | 87 cm |
| Package 1 Length             | 58 cm |
| Package 1 Weight             | 70 kg |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                |
|--------------------------------------------------------|----------------|
| Total lifecycle Carbon footprint                       | 321 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 259 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4]        | 17 kg CO2 eq.  |
| Carbon footprint of the installation phase [A5]        | 20 kg CO2 eq.  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 244 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 25 kg CO2 eq.  |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                     |
| Packaging without single use plastic   | No                                                                                     |
| SCIP Number                            | 5ac12844-46eb-471b-94f1-318e06a714a6                                                   |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                              |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recyclability potential, in %   | 48                                                                                                                                                                                                              |
| End of life manual availability | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| Take-back                       | No                                                                                                                                                                                                              |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

---

